

STOKPLAS - DEDICATED TO QUALITY

Stokplas is a leading distributor of industrial thermoplastic pipework systems. Our excellent reputation has been earned through the supply of first class materials to industry, backed by personal service and expertise.

Expertise in Plastics

Our staff can provide independent advice on all of our products and their applications, providing proven solutions backed with full Manufacturer's support and warranty. With the skilled project management team, customers have the assurance of meeting tight deadlines or delivery requirements, liaising with others involved in the project and receiving what they need, when they need it.

Stokplas knowledge, stockholding and service set the standard

The range of Stokplas products for the manufacturing and process industries is not just limited to those contained in this Price Guide. Stokplas is part of the Crossling Group of Companies who are one of the UK's leading independent plumbing and pipeline merchants. This enables Stokplas to also provide your requirements for steel, brass or copper fittings, valves and ancillary pipeline equipment and tools for all trades. You can have them in the same delivery, on the same advice note and invoice. What could be simpler? You can also use your Stokplas account to purchase from any Crossling Branch or from Northern Tools & Accessories.



With instant availability from extensive stocks, we provide fast, efficient delivery. We have the belief that all our customers are of equally high importance to us, each with their own unique requirements and we endeavour to not only meet, but also exceed your expectations.

We aim to provide an excellent service to you and your company, maintaining a prompt and thoughtful attitude. We ensure a high level of technical support, with continuous staff training, so that we can help you to make the correct and cost effective buying decisions. Our service is further enhanced with the technical support of our manufacturing partners. We can provide you with help and advice throughout all stages of a project, from design to commissioning; and we can back this up with site visits. Stokplas are recognised industry specialists and are A1 distributors of George Fischer products.

Quality Assurance

We understand the importance that many companies attach to quality. For this reason we operate a strict quality system approved to BS EN ISO 9001:2000.



Mission Statement

Our aim is to excel as a supplier to a wide customer base made up of organisations from commercial and industrial sectors and local authorities. To be the market leaders in reliability, quality and efficiency through continued commitment to product quality, stock holding, customer service and employee development.

Opening Hours

We're just a phone call away, telephone 01302 342121 8am to 5pm Monday to Friday or fax your enquiries to 01302 556950 or e-mail: stokplas@crossling.co.uk.

Purchasing

We have no minimum order size. If you don't have an account, please call us for an application form. We accept credit cards, including Visa and MasterCard; or corporate purchase cards, debit cards, cheques or cash. Please call 01302 342121.

Training

Stokplas provides training for installation and jointing techniques, on-site or in-house and at our suppliers' premises.



Distribution

We provide distribution using our own transport; we can be flexible enough to cater for all deliveries, large or small and we offer a next day carrier service for those really urgent requirements.

INDEX

INDUSTRIAL

ABS - Acrylonitrile Butadiene Styrene

Introduction	3
ABS Pipe	3
ABS Imperial Fittings	3-5
ABS Flanges	5
ABS Solvent Cement & Cleaning Fluid	5
ABS Ball Valves	6
ABS Ball Check Valves	6
ABS Butterfly Valves	6
ABS Pressure Release Valves	7
ABS Diaphragm Valves	7
ABS Sediment Strainers	7
ABS Flow Meters	7

PVC-U - Unplasticised Polyvinyl Chloride

Introduction & cements	8
PVC-U Imperial Pipes	8
PVC-U Imperial Fittings	8-10
PVC-U Imperial Flanges	9-10
Metric Pipe	10
Metric Fittings	10-12
PVC-U Metric Flanges	12
PVC-U Solvent Cements & Cleaners	12
PVC-U Ball Valves	13-14
PVC-U Diaphragm Valves	15
PVC-U Butterfly Valves	15
PVC-U Air Release Valves	15
PVC-U Ball Check Valves	15-16
PVC-U Angle Seat Valves	15-16
PVC-U Screen Assembly	15
PVC-U Sediment Strainers	16-17
PVC-U Butterfly Valves	17
PVC-U Pressure Relief Valves	17
PVC-U Flow Meters	18

PVC-C - Post Chlorinated PVC

Introduction, PVC-C Cements & Cleaning Fluid	19
PVC-C Metric Pipe	19
PVC-C Metric Fittings	19-20
PVC-C Jointing Procedure	20
PVC-C Corzan Ball Valves	21
PVC-C Ball Valves	21
PVC-C Ball Check Valves	22
PVC-C Diaphragm Valves	22
PVC-C Sediment Strainers	22

PP - Polypropylene

Introduction	27
PP Pipe	27
PP Socket Fusion Fittings	27
PP Valves	27

PVDF - Polyvinyl Fluoride

Introduction	28
PVDF Pipe	28
PVDF Fittings	28
PVDF Valves	28
PVDF Jointing Technology	28

WATER SERVICES

INSTAFLEX

Introduction	29
Instaflex Pipe	29
Instaflex Fittings	29
Instaflex Electro Fusion Fittings	29
Instaflex PB Valves	29

FRIATHERM

Introduction	30
Friatherm Pipe	30
Friatherm Fittings	30
Friatherm Consumables	30

FRIAPHON

Introduction	31
Friaphon Pipe	31
Friaphon Fittings	31
Friaphon Consumables	31

VULCATHENE

Introduction	32
Vulcathene Mechanical Fittings	32
Vulcathene Enfuson Fittings	33

COOLFIT

Introduction	34
Coolfit Pipe	34
Coolfit Fittings	34

INFORMATION SECTIONS

Actuation	23
Valve Quotation Request Form	24
Measurement and Control	25
Flange Tables	48
Material Selection Information	49
Material Data Grid	50

BUILDING SERVICES

PUMPS

Introduction	35
DAB	35
Crosco Pump Bellows	35

SECONDARY CONTAINMENT

Introduction	26
Contain-it & Contain-it Plus	26

PLASSON

Introduction	38
Electrofusion Fittings	38-41
Mechanical Fittings	42-44
Plasson Mechanical Valves	44
Plasson Mechanical Accessories	44

KEE KLAMP

Introduction	45
Kee Klamp Structural Fittings	45-46
Kee Klamp 500 Series	46

PIPE HANGING

Pipe Hanging Fittings	47
Klip-it Fittings	47
Pipedamp	47
Pipe Fittings	47
Cobra Clips	47
Saddle Clips	47

STAINLESS STEEL

Stainless Tube, Pipe Fittings & Valves	36
--	----

PLEASE NOTE:
Whilst every care has been taken to ensure that the descriptions and prices quoted in this Price Guide are accurate we cannot be held responsible for any errors or omissions. Items are invoiced at the price ruling at the date of despatch unless otherwise agreed.

FLOW CONTROL SOLUTIONS

Trusted worldwide for quality of manufacture GF products are simple to operate and provide multiple solutions for virtually all fluid processing requirements.

We are dedicated to designing, manufacturing and marketing piping systems for the safe and secure conveyance of liquids and gases. GF also provides innovative solutions for connection systems and flow control.

www.georgefisher.co.uk

+GF+

George Fisher Sales Limited,
Paradise Way, Coventry CV3 2ET
Telephone: 024 7655 0538
Fax: 024 7655 8488
email: gf@georgefisher.com

Durapipe UK Industrial Pipework Systems

Durapipe abs Low temperature water transportation

Durapipe pc-c Process chemicals & industrial fluid handling

Durapipe corzan C-pvc system for hot corrosive fluids

Vulcathene Safe chemical drainage

friatherm Hot and cold pipework system
Quick and easy installations of hot and cold water pipework

friaphon Sound attenuated drainage
Sound attenuated drainage system with no need for lagging

Call us on 01543 279909
enquiries@durapipe.co.uk
or visit the website www.durapipe.co.uk

an Ollaxiss company

INDEX

Durapipe
friatherm

CPVC pipework for hot & cold water

Friatherm is a purpose designed CPVC plastic pipework system that provides quicker and easier installations for hot & cold water applications and is a cost effective alternative to copper. Speed of installation coupled with long-term performance benefits and no need for any 'hot works', means that Friatherm can offer significant cost savings over copper and other metal systems. Friatherm offers a 50 year working life and is completely limescale free and corrosion resistant.

Typical Applications









- Hospitals • Sports stadiums • Schools
- Commercial buildings
- Hotels & Residential buildings








Key Product Features







- Lightweight
- Limescale & corrosion free
- No power or hot works are required
- Fully WRAS approved
- Minimum 50 years service life










Key Product Information

- Size Range - 16mm to 160mm
- Pressure rating - (PN25 up to 63mm), & (PN16, 75mm to 160mm)
- Temperature rating - 0° to 95°C

Durapipe FRIATHERM FITTINGS		
Primer	Sizes	£.ea
	500ml	7.79
Pipe inner and outer milling cutter tool		
	16-25mm	13.88
Chamfering Tool		
	Sizes	
	16-60mm	38.90
	75-160mm	381.99
Pipe Cutter		
	Sizes	
	16-63mm	145.86
	50-125mm	344.50
Spare Cutter Wheel		
	16-63mm	9.30
	50-125mm	19.59
Reamer		
	Sizes mm	
	Reamer	54.78
Flexible Braided Hose 300mm length		
	1/2" BSP FI	5.85
	3/4" BSP FI	6.83
	1/2" BSP MI	6.52
	3/4" BSP MI	7.55
	Hose & Service valve 1/2" BSP FI	10.23
Friatherm Pipe Clips		
	16	1.52
	20	1.65
	25	1.70
	32	1.79
	40	1.49
	50	2.18
	63	3.29
	75	3.95
	90	4.74
	110	5.35
	160	8.68
Clc Pipe Clips		
	Sizes mm	
	16	0.57
	20	0.72
	25	0.94
	32	1.69

Durapipe FRIATHERM FITTINGS		
Pipe Rigid	Sizes mm	£/Metre
	16	2.87
	20	4.71
	25	6.33
	32	9.19
	40	14.72
	50	22.31
	63	34.21
	75	37.83
	90	51.40
	110	100.85
	160	185.33
Pipe Trays		
	Sizes mm	£/Metre
	16	1.29
	20	1.64
	25	1.93
	32	2.44
Socket		
	Sizes mm	£.ea
	16	0.68
	20	0.94
	25	1.19
	32	3.67
	40	4.71
	50	6.32
	63	11.14
	75	19.81
	90	29.84
	110	46.42
	160	167.42
Elbow 90°		
	Sizes mm	£.ea
	16	1.10
	20	1.69
	25	2.10
	32	4.38
	40	6.75
	50	9.36
	63	16.01
	75	26.02
	90	37.83
	110	72.67
	160	210.03
Street Elbow 90°		
	Sizes mm	£.ea
	16	1.35
	20	1.84
	25	2.10
	32	4.38
	40	6.75
	50	9.36
	63	16.01
Elbow 45°		
	Sizes mm	£.ea
	16	1.10
	20	1.69
	25	2.10
	32	4.38
	40	6.75
	50	9.36
	63	16.01
	75	26.02
	90	37.83
	110	65.64
	160	210.03
Street Elbow 45°		
	Sizes mm	£.ea
	16	1.35
	20	1.84
	25	2.18
	32	4.46
	40	6.75
	50	9.35
	63	15.91

Durapipe FRIATHERM FITTINGS		
T-pieces 90°	Sizes mm	£.ea
	16	1.48
	20	2.52
	25	8.19
	32	5.22
	40	9.01
	50	13.47
	63	22.74
	75	33.43
	90	50.81
	110	78.44
	160	283.32
T-pieces Reduced 90°		
	Sizes mm	£.ea
	20x16x16	2.84
	20x16x20	2.77
	25x16x25	4.03
	25x20x25	5.55
	32x20x32	7.32
	32x25x32	11.21
	40x20x40	15.01
	50x25x50	19.81
	63x32x63	33.43
	75x40x75	48.27
	90x50x90	71.54
	110x40x110	81.64
Bridging Pieces		
	Sizes mm	£.ea
	16	2.63
	20	3.50
Reducer		
	Sizes mm	£.ea
	20/16	1.19
	25/20	1.43
	25/16	1.93
	32/25	2.87
	32/20	5.06
	40/32	3.79
	40/25	6.22
	50/40	4.38
	50/32	7.06
	50/25 R	8.95
	63/50	6.66
	63/40	12.21
	63/32 R	14.91
	75/63	16.67
	75/50	20.21
	75/40 R	22.65
	90/75	20.88
	90/63	28.65
	90/50 R	32.78
	110/63	39.38
	110/75	40.03
	110/90	18.41
	160/90	87.60
	160/110	87.60
End Caps		
	Sizes mm	£.ea
	16	0.84
	20	1.26
	25	1.69
	32	2.45
	40	3.37
	50	4.71
	63	7.49
Fitting Connector - bonded nipple, union nut and flat gasket		
	Sizes mm	£.ea
	16x1/2" BSP	4.29
	20x3/4" BSP	4.98
	25x1" BSP	7.06
	32x1.1/4" BSP	9.08

Durapipe FRIATHERM FITTINGS		
Fitting Connector - bonded sleeve, union nut and flat gasket		£.ea
	16x3/4" BSP	4.29
	20x1" BSP	5.13
	25x1.1/4" BSP	7.06
	32x1.1/2" BSP	9.08
	40x2" BSP	13.39
	50x2.1/4" BSP	18.45
	63x2.3/4" BSP	28.70
Union Couplings - male BSP thread		
		£.ea
	16x1/2" BSP	11.29
	20x1/2" BSP	13.47
	25x3/4" BSP	17.17
	32x1" BSP	19.39
	40x1.1/4" BSP	23.84
	50x1.1/2" BSP	35.54
	63x2" BSP	52.74
Union Couplings - female BSP thread		
		£.ea
	16x1/2" BSP	11.98
	20x1/2" BSP	14.32
	25x3/4" BSP	17.69
	32x1" BSP	21.90
	40x1.1/4" BSP	26.63
	50x1.1/2" BSP	35.82
	63x2" BSP	53.32
Flanges - Backing ring flange and gasket		
		£.ea
	20	15.32
	25	18.53
	32	21.72
	40	26.63
	50	29.84
	63	32.92
	75	32.92
	90	46.51
	110	54.59
	160	288.16
Transitions with bonded connection - Male Thread		
		£.ea
	16x1/2" BSP	5.40
	20x1/2" BSP	6.44
	20x3/4" BSP	6.40
	25x1/2" BSP	10.09
	25x3/4" BSP	10.09
	32x1" BSP	15.13
Transitions with bonded connections - Female Thread		
		£.ea
	16x1/2" BSP	5.81
	20x1/2" BSP	6.69
	20x3/4" BSP	6.69
	25x3/4" BSP	10.47
	32x1" BSP	15.70
Composite Elbow - Male BSP thread		
	Sizes mm	£.ea
	20x1/2" BSP	9.08
Type K wall plates		
		£.ea
	16x1/2" BSP	9.01
	20x1/2" BSP	10.47
	25x3/4" BSP	15.13
Component Adhesive		
		£.ea
	100ml	5.36
	400ml	18.33
	1000ml	41.08

DURAPIPE FRIATHERM