

STOKPLAS - DEDICATED TO QUALITY

Stokplas is a leading distributor of industrial thermoplastic pipework systems. Our excellent reputation has been earned through the supply of first class materials to industry, backed by personal service and expertise.

Expertise in Plastics

Our staff can provide independent advice on all of our products and their applications, providing proven solutions backed with full Manufacturer's support and warranty. With the skilled project management team, customers have the assurance of meeting tight deadlines or delivery requirements, liaising with others involved in the project and receiving what they need, when they need it.

Stokplas knowledge, stockholding and service set the standard

The range of Stokplas products for the manufacturing and process industries is not just limited to those contained in this Price Guide. Stokplas is part of the Crossling Group of Companies who are one of the UK's leading independent plumbing and pipeline merchants. This enables Stokplas to also provide your requirements for steel, brass or copper fittings, valves and ancillary pipeline equipment and tools for all trades. You can have them in the same delivery, on the same advice note and invoice. What could be simpler? You can also use your Stokplas account to purchase from any Crossling Branch or from Northern Tools & Accessories.



With instant availability from extensive stocks, we provide fast, efficient delivery. We have the belief that all our customers are of equally high importance to us, each with their own unique requirements and we endeavour to not only meet, but also exceed your expectations.

We aim to provide an excellent service to you and your company, maintaining a prompt and thoughtful attitude. We ensure a high level of technical support, with continuous staff training, so that we can help you to make the correct and cost effective buying decisions. Our service is further enhanced with the technical support of our manufacturing partners. We can provide you with help and advice throughout all stages of a project, from design to commissioning; and we can back this up with site visits. Stokplas are recognised industry specialists and are A1 distributors of George Fischer products.

Quality Assurance

We understand the importance that many companies attach to quality. For this reason we operate a strict quality system approved to BS EN ISO 9001:2000.



Mission Statement

Our aim is to excel as a supplier to a wide customer base made up of organisations from commercial and industrial sectors and local authorities. To be the market leaders in reliability, quality and efficiency through continued commitment to product quality, stock holding, customer service and employee development.

Opening Hours

We're just a phone call away, telephone 01302 342121 8am to 5pm Monday to Friday or fax your enquiries to 01302 556950 or e-mail: stokplas@crossling.co.uk.

Purchasing

We have no minimum order size. If you don't have an account, please call us for an application form. We accept credit cards, including Visa and MasterCard; or corporate purchase cards, debit cards, cheques or cash. Please call 01302 342121.

Training

Stokplas provides training for installation and jointing techniques, on-site or in-house and at our suppliers' premises.



Distribution

We provide distribution using our own transport; we can be flexible enough to cater for all deliveries, large or small and we offer a next day carrier service for those really urgent requirements.

INDEX

INDUSTRIAL

ABS - Acrylonitrile Butadiene Styrene

Introduction	3
ABS Pipe	3
ABS Imperial Fittings	3-5
ABS Flanges	5
ABS Solvent Cement & Cleaning Fluid	5
ABS Ball Valves	6
ABS Ball Check Valves	6
ABS Butterfly Valves	6
ABS Pressure Release Valves	7
ABS Diaphragm Valves	7
ABS Sediment Strainers	7
ABS Flow Meters	7

PVC-U - Unplasticised Polyvinyl Chloride

Introduction & cements	8
PVC-U Imperial Pipes	8
PVC-U Imperial Fittings	8-10
PVC-U Imperial Flanges	9-10
Metric Pipe	10
Metric Fittings	10-12
PVC-U Metric Flanges	12
PVC-U Solvent Cements & Cleaners	12
PVC-U Ball Valves	13-14
PVC-U Diaphragm Valves	15
PVC-U Butterfly Valves	15
PVC-U Air Release Valves	15
PVC-U Ball Check Valves	15-16
PVC-U Angle Seat Valves	15-16
PVC-U Screen Assembly	15
PVC-U Sediment Strainers	16-17
PVC-U Butterfly Valves	17
PVC-U Pressure Relief Valves	17
PVC-U Flow Meters	18

PVC-C - Post Chlorinated PVC

Introduction, PVC-C Cements & Cleaning Fluid	19
PVC-C Metric Pipe	19
PVC-C Metric Fittings	19-20
PVC-C Jointing Procedure	20
PVC-C Corzan Ball Valves	21
PVC-C Ball Valves	21
PVC-C Ball Check Valves	22
PVC-C Diaphragm Valves	22
PVC-C Sediment Strainers	22

PP - Polypropylene

Introduction	27
PP Pipe	27
PP Socket Fusion Fittings	27
PP Valves	27

PVDF - Polyvinyl Fluoride

Introduction	28
PVDF Pipe	28
PVDF Fittings	28
PVDF Valves	28
PVDF Jointing Technology	28

WATER SERVICES

INSTAFLEX

Introduction	29
Instaflex Pipe	29
Instaflex Fittings	29
Instaflex Electro Fusion Fittings	29
Instaflex PB Valves	29

FRIATHERM

Introduction	30
Friatherm Pipe	30
Friatherm Fittings	30
Friatherm Consumables	30

FRIAPHON

Introduction	31
Friaphon Pipe	31
Friaphon Fittings	31
Friaphon Consumables	31

VULCATHENE

Introduction	32
Vulcathene Mechanical Fittings	32
Vulcathene Enfuson Fittings	33

COOLFIT

Introduction	34
Coolfit Pipe	34
Coolfit Fittings	34

INFORMATION SECTIONS

Actuation	23
Valve Quotation Request Form	24
Measurement and Control	25
Flange Tables	48
Material Selection Information	49
Material Data Grid	50

BUILDING SERVICES

PUMPS

Introduction	35
DAB	35
Crosco Pump Bellows	35

SECONDARY CONTAINMENT

Introduction	26
Contain-it & Contain-it Plus	26

PLASSON

Introduction	38
Electrofusion Fittings	38-41
Mechanical Fittings	42-44
Plasson Mechanical Valves	44
Plasson Mechanical Accessories	44

KEE KLAMP

Introduction	45
Kee Klamp Structural Fittings	45-46
Kee Klamp 500 Series	46

PIPE HANGING

Pipe Hanging Fittings	47
Klip-it Fittings	47
Pipedamp	47
Pipe Fittings	47
Cobra Clips	47
Saddle Clips	47

STAINLESS STEEL

Stainless Tube, Pipe Fittings & Valves	36
--	----

PLEASE NOTE:
Whilst every care has been taken to ensure that the descriptions and prices quoted in this Price Guide are accurate we cannot be held responsible for any errors or omissions. Items are invoiced at the price ruling at the date of despatch unless otherwise agreed.

FLOW CONTROL SOLUTIONS

Trusted worldwide for quality of manufacture GF products are simple to operate and provide multiple solutions for virtually all fluid processing requirements.

We are dedicated to designing, manufacturing and marketing piping systems for the safe and secure conveyance of liquids and gases. GF also provides innovative solutions for connection systems and flow control.

www.georgefisher.co.uk

+GF+

George Fisher Sales Limited,
Paradise Way, Coventry CV3 2ET
Telephone: 024 7655 0538
Fax: 024 7655 8488
email: gf@georgefisher.com

Durapipe UK Industrial Pipework Systems

- Durapipe abs** Low temperature water transportation
- Durapipe pc-c** Process chemicals & industrial fluid handling
- Durapipe corzan** C-pvc system for hot corrosive fluids
- Vulcathene** Safe chemical drainage
- friatherm** Hot and cold pipework system. Quick and easy installations of hot and cold water pipework.
- friaphon** Sound attenuated drainage. Sound attenuated drainage system with no need for lagging.

Call us on 01543 279909
enquiries@durapipe.co.uk
or visit the website www.durapipe.co.uk

an Ollaxiss company

INDEX



KEE KLAMP STRUCTURAL FITTINGS

Kee Klamp produces the world's leading structural pipe fittings, with over 100 million units sold. Kee Klamp fittings are available in more countries, more styles, more sizes, and more colours than any other brand of structural fitting. Since 1934, Kee Klamp has been dedicated to providing the world with a versatile, economical, and durable method of building tubular structures.

Advantages:

- No Welding •No Threading •No Bolting •No Drilling •Strong
- Easy Assembly •Up to 50% Labour Savings

Applications:

Handrails, Guardrails, Safety Barriers, Machinery Guards, Store fixtures, Racking, Roof Edge Protection

Kee Klamp Fittings are a simple method of constructing tubular structures:

- Cost effective alternative to welding
- Galvanised to resist corrosion
- Available with polyester coating in other RAL colours
- Available for standard size tubing 13.5mm OD to 60.3mm OD
- 1001 uses

There are many variations of fittings to suit a wide range of applications, providing the versatility to achieve any structural configuration. Kee Klamp fittings are galvanised malleable iron castings designed to suit eight sizes of tube. A standard hex key and tube cutters are the only tools required to create strong, rigid structures. Recessed set screws, tightened by the hex key, firmly lock the tube into the fitting. The setscrew is manufactured in case hardened steel and is coated to protect against corrosion.

SPECIFYING KEE KLAMP FITTINGS

Each fitting has a simple numerical code reference which defines the type of fitting and the pipe size, or sizes, it is designed to receive. The first number preceding the dash (-) identifies the type of fitting. The single digit after the dash defines the pipe size. Two single digits after the dash indicate that the fitting is designed to receive two sizes of pipe.



Kee Klamp Tube Size	Tube Dia mm o/d	Nominal Bore	
		mm	in
2	13.5	8	1/4
3	17.5	10	3/8
4	21.3	15	1/2
5	26.9	20	3/4
6	33.7	25	1
7	42.4	32	1.1/4
8	48.3	40	1.1/2
9	60.3	50	2



Price List WEF 1/01/10

Kee Klamp	Type	£.ea	Kee Klamp	Type	£.ea
	10 Single Socket Tee	10-2 8.44 10-3 3.61 10-4 4.82 10-5 3.29 10-6 3.22 10-65 5.22 10-67 7.28		27 3 Socket Custom Tee	27-6B 16.73 27-6M 20.34 27-7B 18.66 27-7M 22.13 27-8B 21.64 27-8M 25.31
	A10 Split Tee	A10-7 12.29 A10-8 13.42		28 2 Socket Custom Cross	28-6M 27.51 28-7M 32.79 28-8M 34.29
	12 45° Single Socket Tee	12-5 5.22 12-6 5.48 12-7 8.36 12-8 10.39		29 30-60° Single Socket Tee	29-6 5.00 29-7 6.76 29-8 7.57
	14 Ext. Straight Coupling	14-4 4.82 14-5 4.48 14-6 3.59 14-7 4.86 14-8 5.68 14-9 9.79		30 30-45° Adjustable Cross	30-6 13.22 30-7 15.74 30-8 18.11
	15 90° Elbow	15-4 4.88 15-5 4.74 15-6 3.87 15-7 5.20 15-8 6.84 15-9 20.00		31 Pallet Flange	31-8 23.79
	16 Clamp on Tee	16-5 11.09 16-6 7.74 16-7 9.21 16-8 10.54 16-9 17.02		35 Side Outlet Tee	35-4 7.84 35-5 7.60 35-6 5.96 35-7 8.73 35-8 9.24 35-9 24.62
	17 Clamp on Crossover	17-5 3.97 17-6 3.22 17-7 4.27 17-78 5.52 17-8 5.59 17-9 12.10		40 Four Socket Cross	40-5 9.77 40-6 9.10 40-7 13.03 40-8 15.03 40-9 28.73
	18 Internal coupling	18-6 3.87 18-7 5.20 18-8 5.93		45 Crossover	45-3 2.73 45-4 3.74 45-5 3.79 45-6 3.22 45-65 4.93 45-7 4.61 45-76 6.59 45-8 5.37 45-86 6.83 45-87 7.88 45-9 12.26 45-98 13.98 445-7 12.66
	19 Adjustable Side Outlet Tee	19-5 5.44 19-6 4.72 19-7 6.07 19-8 6.22		46 Combi Socket T Crossover	46-4 5.20 46-5 4.84 46-6 5.03 46-668 8.87 46-7 6.41 46-8 8.87 46-9 17.63
	20 Side Outlet Elbow	20-4 6.81 20-5 7.21 20-6 5.45 20-7 7.86 20-8 9.72 20-9 22.49		21 90° Side Outlet Tee	21-4 5.58 21-5 5.34 21-6 4.07 21-7 6.16 21-8 6.87 21-9 16.64
	25 3 Socket Tee	25-4 6.61 25-5 6.67 25-6 4.89 25-7 7.53 25-8 8.35 25-9 22.09		26 2 Socket Cross	26-4 6.83 26-5 5.51 26-6 4.78 26-7 5.79 26-8 7.63 26-87 26-9 19.24
	F50 Female Single Socket Member	F50-4 3.74 F50-5 3.92 F50-6 2.89 F50-7 3.76 F50-8 4.58 F50-9 12.88		M50 Male Single Socket Member	M50-4 3.79 M50-5 3.58 M50-6 2.89 M50-7 3.45 M50-8 3.59 M50-9 8.73

KEE KLAMP

Price List WEF 1/01/10

Kee Klamp	Type	£.ea	Kee Klamp	Type	£.ea	Kee Klamp	Type	£.ea	Kee Klamp 500	Type/£.ea
	C50 Single Swivel Socket C50-4 3.79 C50-5 3.58 C50-6 2.76 C50-7 3.29 C50-8 3.45			65 Std. Horiz Railing Base 65-6 9.89			83 Pin Fitting 83-5 4.77 83-6 3.82 83-7 4.04 83-8 4.72			10-848 Upright Connector £9.32
	M5 Male Dble Swivel Socket Mem M51-5 6.65 M51-6 5.20 M51-7 5.51 M51-8 5.68 M51-9 10.51			66 Ground Socket 66-6 12.86 66-7 16.73 66-8 17.40 66 PLUG			84 Metal Plug 84-5 0.63 84-6 1.39 84-7 2.46 84-8 2.71 84-9 4.28			A10-848 or A10-748 Retro fit upright Connector £19.21 £17.91
	C51 Double Swivel Socket C51-555 14.76 C51-666 11.24 C51-777 13.20 C51-888 15.07 C51-999 35.62			67 Wall Flange 67-7 13.08 67-8 11.41			93 3 Socket Tee 90-8 22.71			84-848 Upright top cap £4.01
	M52 Male Corner Swivel Socket Member M52-5 7.03 M52-6 5.71 M52-7 6.38 M52-8 6.36			68 Wall Flange 68-6 7.49 68-7 9.78 68-8 10.82			932 Socket Cross 91-8 22.02			518-7 Upright Intermediate Handrail Fitting £10.91
	BC53 Swivel Elbow BC53-88 13.46			70 Rail Support 70-5 5.91 70-6 3.96 70-7 5.79 70-8 7.17			92 PGR Elbow 92-8 15.99			515-7 90° Corner Elbow £15.68
	C52 Corner Swivel Socket C52-555 15.10 C52-666 11.92 C52-777 13.80 C52-888 16.02			71 Weather Cap 71-6 10.98 71-7 12.10 71-8 10.82			93 PGR Tee 93-8 17.67			567-7 Upright 90° Return (Use with 18-7) £9.80
	55 Obtuse Angle Elbow 55-8 7.49			72 Stair Tread Support 72-8 18.03			95 PGR Internal Sprocket 95-8 23.70			565-7 Wall Mounted 90° Return (Use with 18-7) £15.68
	M58 Male Swivel Flange M58 4.03			75 Collar 75-4 3.14 75-5 2.55 75-6 2.37 75-7 2.69 75-8 3.05			97 Set Screw (Keecoat) 97-2,3 97-4 97-5,6 97-7,8,9 0.45			18-7 Handrail Connector £5.00
	C58 Swivel Flange C58-5 9.25 C58-6 7.23 C58-7 8.05 C58-8 8.90 C58-9 18.45			76 Hook 76-5 3.65 76-6 3.02 76-7 3.65 76-8 3.49			98 Ratchet Handle/Socket RATCHET HANDLE 53.85 RATCHET KEY 98-5/6 9.24 98-7/9			570-7 Wall Intermediate Handrail Fitting £10.91
	59 Male Flange 59-5 59-6 59-7 59-8 59-9			77 Plastic Plug 77-4 77-5 77-6 77-7 77-8 77-9 0.68 0.85 0.93			99 Hex Key 99-2,3 99-4 99-5,6 99-7,8,9 1.24 2.96			508-7 Optional Gap Washer
	60 Extra Heavy Flange 60-5 15.21 60-6 11.87 60-7 16.16 60-8 16.98			78 Eye Fitting 78-5 4.35 78-6 3.31 78-7 3.50 78-8 3.93			105 Profiled or Flat Sheeting Clip 105-6 2.06 105-7 2.06 105-8 2.06 105-9 2.11			
	61 Flange 61-3 6.38 61-4 5.57 61-5 4.15 61-6 3.45 61-7 4.72 61-8 6.19 61-9 11.45			79 Sheeting Clip 79-7 1.23			114 Swivel Tee 114-6 5.88 114-7 7.63 114-8 8.87			
	62 Standard Railing Flange 62-5 7.86 62-6 5.99 62-7 6.92 62-8 8.81 62-9 22.88			81 Single Sided Clip 81-5 1.52 81-6 1.22 81-7 1.41 81-8 1.41 81-9 2.02			121 Corner Crossover 121-7 14.29			
	63 Angle Base Flange 63-6 19.84			82 Double Sided Clip 82-5 2.51 82-6 2.00 82-7 2.09 82-8 2.09 82-9 2.93			145 Crossover Coupling 145-7 10.17			
	64 Standard Vert Railing Base 64-6 10.12 64-7 13.17 64-8 16.08									

KEE KLAMP 500 SERIES
New 500 Series of Tubular Fittings Satisfy the Requirements of the Disability Discrimination Act (DDA) and Building Regulations Pt. M : 2004
Cost Effective Handrail Suitable For Stairs, Ramps, and Walkways.



Above: The New 500 Series of DDA compliant handrails

KEE KLAMP